

# **NOLTA**

# BED WITH STORAGE CONTAINER, 100% BLOCKBOARD FRAME, REMOVABLE RING.

- Base of container in MDF with reinforced structure
- Only available in double size
- Reinforced ergonomic frame with stiffness sliders, standard raising and lowering mechanism for 160X195 with 26 slats + 26 slats + 6 adjustable slats
- Frame corners in iron
- 8-year warranty on the mechanism
- Overall size: length 224 cm, width 180 cm, height 100 cm
- Height of mattress frame, 32 cm
- Fabric, synthetic leather, leather
- Standard retractable leg





# **QUEENS**

# BED WITH STORAGE CONTAINER, 100% BLOCKBOARD FRAME, REMOVABLE RING.

- Bed with storage container, 100% blockboard frame, removable ring
- Base of container in MDF with reinforced structure
- Only available in double size
- Reinforced ergonomic frame with stiffness sliders, standard raising and lowering mechanism for 160X195 with 26 slats + 26 slats + 6 adjustable slats
- Frame corners in iron
- 8-year warranty on the mechanism
- Bed size: Length 228 cm, width 182 cm, height 96 cm.
- Height of mattress frame, 32 cm
- Fabric, synthetic leather, leather
- Standard retractable leg





# **SOMMIER**

- Available in 3 models: BLOCKBOARD, SPRINGS, CONTAINER
- When ordering, please specify the type of bed base:
- NEXT BED BASE: finished on four sides
- NEXT "T" BED BASE: finished on 3 sides and equipped for attaching headboard
- COMFORT bed base equipped with the CONTAINER model

Leg in silver h. 12 cm.






Frame 40x25 with 26+26 slits and stiffness sliders in the dorsal part



# **BED BASE OPTIONS**

## BLOCKBOARD


- For models 160 and 180, it is possible to have two separate bed bases that can be assembled on site in case of transport problems.
- Height of mattress support h. 42 cm. approx.
- It is only possible to make a bed outsize in length (maximum 220 cm.)
- Standard leg in walnut wood h. 12 cm.
- Optional variant silver leg h. 12 cm at no extra charge.
- 8-year warranty.



## **SPRINGS**

- Only available in single container, always check size of bed frame with customer (transport)
- Height of mattress support h. 42 cm. approx.
- It is only possible to make a bed outsize in length (maximum 220 cm.)
- Standard leg in walnut wood h. 12 cm.
- Optional variant silver leg h. 12 cm at no extra charge.
- 8-year warranty.

# **SPRINGS**



### CONTAINER

- For models 160 and 180, it is possible to have two separate bed bases that can be assembled on site in case of transport problems. In this case the container will be divided into two compartments
- Height of mattress support h. 42 cm. approx.
- It is only possible to make a bed outsize in length (maximum 220 cm.)
- Equipped with a COMFORT frame with leveller
- Standard leg in walnut wood h. 12 cm.
- Optional variant silver leg h. 12 cm at no extra charge
- 8-year warranty

# CONTAINER





# **HEADBOARD OPTIONS**

Low SOPHIE headboard - 130 cm (non-removable covering)



High SOPHIE headboard - 150 cm (non-removable covering)



Low MARLENE headboard - 130 cm









# **ISTANBUL**

# BED WITH STORAGE CONTAINER, 100% BLOCKBOARD FRAME AND REMOVABLE RING.

- Base of container in MDF with reinforced structure.
- Only available in double size.
- Reinforced ergonomic frame with stiffness sliders, standard raising and lowering mechanism for 160X195 with 26 slats + 26 slats + 6 adjustable slats.
- Frame corners in iron.
- 8-year warranty on the mechanism.
- Overall dimensions: Length 232, width 180, height 103.
- Height of mattress support 36.5 cm
- Fabric, synthetic leather, leather
- Standard, rounded leg in wood painted silver.





# **SIDNEY**

# BED WITH STORAGE CONTAINER, 100% BLOCKBOARD FRAME AND REMOVABLE RING.

- Base of container in MDF with reinforced structure.
- Only available in double size.
- Reinforced ergonomic frame with stiffness sliders, standard raising and lowering mechanism for 160X195 with 26 slats + 26 slats + 6 adjustable slats.
- Frame corners in iron.
- 8-year warranty on the mechanism.
- Overall bed size: Width 181, length 215, height 116. Height of mattress support 36.5 cm





# **VENEZIA**

# BED WITH STORAGE CONTAINER, 100% BLOCKBOARD FRAME, COMPLETELY REMOVABLE COVERING.

- Base of container in MDF with reinforced structure.
- Only available in double size.
- Reinforced ergonomic frame with stiffness sliders, standard raising and lowering mechanism for 160X195 with 26 slats + 26 slats + 6 adjustable slats.
- Frame corners in iron.
- 8-year warranty on the mechanism.
- Overall bed size: Width 182, length 220, height 100.
- Height of mattress support 36.5 cm
- Fabric, synthetic leather, leather
- Standard, rounded leg in wood painted silver.





# **ROMA**

# BED WITH STORAGE CONTAINER, 100% BLOCKBOARD FRAME, REMOVABLE RING.

- Base of container in MDF with reinforced structure.
- Only available in double size.
- Reinforced ergonomic frame with stiffness sliders, standard raising and lowering mechanism for 160X195 with 26 slats + 26 slats + 6 adjustable slats.
- Frame corners in iron.
- 8-year warranty on the mechanism.
  Overall bed size: Width 196, length 215, height 107.
  Height of mattress support 36.5 cm





# **ALEX**


# SOFA BED WITH REMOVABLE COVER, ELECTROWELDED MATTRESS SUPPORT AND MEMORY FOAM MATTRESS H. 14 CM.

- Different colors, available in several variants.
- Custom armrest from 5 to 25 cm.
- Standard mattress support Length 190 cm.
- Standard leg in squared wood.
- Mattress in Memory foam
- Size of armrest 17 cm.
- Length of mattress support 190 cm









# **WILLY**

# SOFA BED WITH REMOVABLE COVER, ELECTROWELDED MATTRESS SUPPORT AND MEMORY FOAM MATTRESS H. 18 CM.

• Different colors, available in several variants.





# **BED FRAME**

Bed base in fir wood 145 x 15 mm (or 145 x 20 mm) with options from 80 mm to 300 mm Angles in beech wood with M8 insert

## FLAT BED

Painted staves in layer glued beech wood 53 mm x 8 mm 20 slats size 90/190 2x20 slats size 140/190 Reinforced lumbar area

### REINFORCEMENT

Vertical shaft for 118 cm and above 2 reinforcement beams

### COATING

Covering in 3D Micro-ventilated fabrics

## WARRANTY

5 years

Leg is not included





# **EMILIE**

# BED FRAME

Bed base in fir wood 145 x 15 mm (or 145 x 20 mm) with options from 80 to 300 mm Angles in beech wood with M8 insert Central shaft 49 x 35 mm

# FLAT BED

16 fir wood slats 75 x 15 mm L 190 17 fir wood slats 75 x 15 mm L 200 Topper 10 mm

# REINFORCEMENT

Reinforcing vertical axis for lengths of 200 cm and over

# COATING

Coated canvas

## WARRANTY

5 years

Leg is not included





# AVAILABLE IN THE FOLLOWING COLORS:















MICR0 **FIBRA** ASTREA 708

# AVAILABLE IN THE FOLLOWING COLORS:





























**GRIGIO** QUADR.

B.C0



ASTREA 200



**GRIGIO** 

QUADR.

B.C0



ASTREA 200



**FIBRA** ASTREA 708

PerDormire

# **AUDREY**

## BED FRAME

Bed base in fir wood 145 x 20 mm with options from 80 to 300 mm

Angles in beech wood with M8 insert

### **FLAT BED**

Painted staves in layer glued beech wood 53 mm x 8 mm 20 slats size 90/190 2x20 slats size 140/190 Reinforced lumbar area

### REINFORCEMENT

Vertical shaft for 118 cm and above 2 reinforcement beams

## COATING

3D Micro-ventilated fabrics Wood finish

## WARRANTY

5 years

Leg is not included





# **MICHELLE**

## BED FRAME

Internal layer glued bed base in anthracite grey 140 mm x 20 mm (minimum 100 mm x 20 mm) into two independent boxes in size 140 and 160.

Angles in beech wood with M8 insert

Uprights in beech plywood 50x20 mm, gray color Piston support - 5 lifting points

Bed frame system with reclining back section

Motor 24 volts - 2x4500 N - SMPS transformer with switchoff function, integrated to the socket (circuit breaker) low power consumption in stand-by: 0.1 W emergency lowering function with 9v battery

5 years warranty on engines: (manufactured after 1/1/16) Layer glued beech slats 38 x 8 mm in gray aluminum color + reinforced slats in the lumbar area with Dynaflex carbon

Suspensions rocker in TPEE, adjustable in the lumbar area


1 set of central support legs with adjustable height (max 23 cm)

1 mattress fix at the end of the frame + 4 side rails in metal as mattress fix

## WARRANTY

5 years

Leg is not included





# AVAILABLE IN THE FOLLOWING COLORS:





















# AVAILABLE IN THE FOLLOWING COLORS:

























B.CO



ASTREA 200

MICR0 **FIBRA** 

**ASTREA 708** 







QUADR.

B.C0





**ASTREA 200** 



**ASTREA 708** 

231

**PerDormire** 

# LAETITIA

## BED FRAME

Internal layer glued bed base in anthracite grey 140 mm x 20 mm (minimum 100 mm x 20 mm) into two independent boxes in size 140 and 160.

Angles in solid beech with M8 inserts.

Uprights in beech plywood 50x20 mm gray color.

Piston support - 5 lifting points.

Double reinforced bracket at the foot.

Bed frame system with reclining back section.

Motor 24 volts - 2x4500 N - SMPS transformer with switch-off function integrated to the socket (circuit breaker) low power consumption in stand-by: 0.1 W mechanical emergency lowering function with Bluetooth® remote control, wireless connection with 3 memory set.

Incorporated courtesy light compatible with the application "Bed Control" on tablets and smartphones.

5 years warranty on engines: (manufactured after 1/1/16). Slats alloy high-strength polymer - granite finish. Shoulder zone softened in TPEE.

Dark gray set of crossbars 45 x 20 mm.

Suspensions rocker in TPEE, adjustable in the lumbar area.

## **ACCESSORIES**

1 set of central support legs with adjustable height (max 23 cm)

1 mattress fix at the end of the frame + 4 side rails in metal as mattress fix

# WARRANTY

5 years

Leg is not included






# **VALERIE**

**HEADBOARD** 

LENGHT CM 80/90/140/160

**HEIGHT CM** 90/115




# **CHANTAL**

**HEADBOARD** 

LENGHT CM 80/90/140/160

**HEIGHT CM** 



# AVAILABLE IN THE FOLLOWING COLORS:











B.CO













AVAILABLE IN THE FOLLOWING COLORS:
























**ASTREA 200** 

MICR0 **FIBRA** 

**ASTREA 708** 





B.C0



ASTREA 200



**FIBRA ASTREA 708** 



# **VENUS**

FIXED IRON FRAME WITH BEECH WOOD SLATS, IDEAL FOR PROPER MATTRESS SUPPORT AND FOR PROPER REST. SIMPLE AND BASIC DESIGN. ANTI-ACCIDENT CORNERS. IN THE DOUBLE MODEL, DOUBLE CENTRAL REINFORCEMENT CROSS. CENTRAL LEG ON REQUEST.

## STRUCTURE

Tubular frame 40x25, epoxy powder painting. Height of mattress support 35 cm.

# SLATS

7 beechwood slats.

# MODELS

• Single • Double • Outsize

# LENGTH CM

Outsize: max 220

# WIDTH CM

Outsize: max 200cm (single slat max 170, divided slat max 190)

# **USER CAPACITY**

110 KG.

# **BODYFLEX**

FIXED IRON MATTRESS SUPPORT WITH REINFORCED SLATS IDEAL FOR ENSURING PROPER REST. SLAT INSERTS AND BUFFERS IN NATURAL NON-VULCANIZED RUBBER. STIFFNESS REGULATORS IN THE CENTRAL PART. ANTI-ACCIDENT CORNERS. SHOULDER AREA WITH PERFORATED SLATS TO INCREASE FLEXIBILITY. REINFORCED CROSS. CENTRAL LEG ON REQUEST.

## STRUCTURE

Shaped profile 40x36.

Height of mattress support 35 cm.

28 beech wood slats. Over 90 cm all slats are reinforced.

# MODELS

• Single • Double • Outsize **LENGTH CM** 


Outsize: max 220

# WIDTH CM

Outsize: max 190 cm

# **USER CAPACITY**

130 KG.





# **ELECTRIC BODYFLEX** (SINGLE LIFT)

ELECTRIC IRON FRAME WITH REINFORCED MOTOR, WITH SINGLE LIFT WITH REINFORCED BEECH SLATS, IDEAL FOR ENSURING PROPER MATTRESS SUPPORT AND PROPER REST. SLAT INSERTS AND BUFFERS IN NATURAL NON-VULCANIZED RUBBER. STIFFNESS REGULATORS IN THE CENTRAL PART. ANTI-ACCIDENT ROUNDED SECTIONS. SHOULDER AREA WITH PERFORATED SLATS TO INCREASE FLEXIBILITY. 4-STROKE MOTOR DRIVE. MATTRESS HOLDER ON HEADBOARD AND FOOTBOARD. REINFORCED CROSS. CENTRAL LEG ON REQUEST.

### **STRUCTURE**

Tubular frame 50x20, epoxy powder coating. Height of mattress support 35 cm.

#### SLATS

Beech wood slats. Over 90 cm all slats are reinforced.

## **MODELS**

• Single • Double • Outsize

LENGTH CM

### Outsize: max 220 WIDTH CM

Outsize: 140/150, 160, 165, 170.

Outsize: single width max 120cm, double width max 190cm

## **USER CAPACITY**

130 KG

# **ELECTRIC BODYFLEX** (SEPARATE LIFTS)

ELECTRIC IRON FRAME WITH SEPARATE LIFTS WITH BEECH WOOD SLATS, IDEAL FOR ENSURING PROPER MATTRESS SUPPORT AND PROPER REST. SLAT INSERTS AND BUFFERS IN NATURAL NON-VULCANIZED RUBBER. STIFFNESS REGULATORS IN THE CENTRAL PART. ANTI-ACCIDENT ROUNDED SECTIONS. SHOULDER AREA WITH PERFORATED SLATS TO INCREASE FLEXIBILITY. 4-STROKE MOTOR DRIVE. MATTRESS HOLDER ON HEADBOARD AND FOOTBOARD. REINFORCED CROSS. CENTRAL LEG ON REQUEST.

#### **STRUCTURE**

50x20 with double articulated frame, epoxy powder coating. Height of mattress support 35 cm.

Beech wood slats. Central reinforcement cross on request. Stiffness regulators in the central part.

### MODELS

Double bed with separate lifts

# LENGTH CM


Outsize: max 220 cm

## WIDTH CM

Outsize: max 190 cm

## **USER CAPACITY**

130 KG.





# **GOLD**

FIXED WOODEN FRAME IN BEECHWOOD BLOCK FINISHED WITH NATURAL RESIN. RIGIDITY REGULATORS FOR OPTIMAL SUPPORT, TILTING SLATS FOR ADDED COMFORT. INTERNAL SEBS FLEXURAL FITTINGS IN THE FRAME TO BUFFER BODY WEIGHT. ACCIDENT PREVENTION CORNERS IN HIGH-STRENGTH MATERIAL FEET 60 MM IN DIAMETER.

## STRUCTURE

70x25 beech wood block frame finished with natural resin. Height of mattress support 35 cm.

#### SLATS

25 self-stabilizing slats in beech wood.

# MODELS

• Single • Double • Outsize

# LENGTH CM

Outsize: max 220 cm

## WIDTH CM

Outsize: max 190 cm

# **ELECTRIC GOLD**

FRAME IN WOOD, MOTORIZED AND MADE OF BEECH WOOD BLOCK FINISHED WITH NATURAL RESIN, REINFORCED MOTOR. RIGIDITY REGULATORS FOR OPTIMAL SUPPORT, TILTING SLATS FOR ADDED COMFORT. INNER SEBS FLEXURAL FITTINGS ON THE FRAME TO BUFFER BODY WEIGHT. MOTORIZED HEAD AND FOOT LIFT MOVEMENT. CORNERS IN HIGH STRENGTH MATERIAL, FEET DIAMETER 60 MM.

## STRUCTURE

70x25 beech wood block frame finished with natural resin.

Height of mattress support 35 cm.

#### SLATS

25 self-stabilizing slats in beech wood. Mattress holder on headboard and footboard

# MODELS

• Single • Double with single or split lift • Outsize

# LENGTH CM


Outsize: max 220 cm

# WIDTH CM

Outsize: max 190 cm

# USER CAPACITY

130 KG.



# **PLATINO**

FIXED FRAME IN BEECH WOOD BLOCK 70X25, FINISHED WITH NATURAL-COLORED RESIN. RIGIDITY REGULATORS IN THE DORSAL PART FOR OPTIMAL SUPPORT, TILTING BUFFERED SLATS FOR ADDED COMFORT. SHOULDER AREA WITH ARTICULATED INSERTS TO INCREASE FLEXIBILITY AND COMFORT. ACCIDENT PREVENTION CORNERS IN HIGH-STRENGTH MATERIAL. FEET 60 MM IN DIAMETER.

## STRUCTURE

Wooden beech frame finished with natural resin. Height of mattress support 35 cm.

Self-stabilizing slats in beech wood. Buffered shoulder zone.

# **MODELS**

• Single • Double • Outsize

# LENGTH CM

Outsize: max 220 cm

### WIDTH CM

Outsize: max 190 cm

# USER CAPACITY

130 KG.

# **ELECTRIC PLATINO**

FRAME IN WOOD, MOTORIZED AND MADE OF BEECH WOOD BLOCK FINISHED WITH NATURAL RESIN. RIGIDITY REGULATORS FOR OPTIMAL SUPPORT, TILTING SLATS FOR ADDED COMFORT. INNER HYTREL FLEXURAL FITTINGS ON THE FRAME TO BUFFER BODY WEIGHT. MOTORIZED HEAD AND FOOT LIFT MOVEMENT. CORNERS IN HIGH-RESISTANCE MATERIAL, FEET DIAMETER 53MM.

## STRUCTURE

70x25 beech wood block frame finished with natural resin. Height of mattress support 35 cm.

Beech wood slats. Mattress holder on headboard and footboard.

# MODELS

• Single • Double with separate lifts • Outsize


# LENGTH CM

Outsize: max 220 cm WIDTH CM

Outsize: max 190 cm

# **USER CAPACITY**

130 KG.







PerDormire